

HERBICIDES					
Product	Active ingredients	Formulation	Description and uses	Pack Size	Rate Per Ha
Quickstep	130 + 80 g/l clethodim + haloxyfop-P-methyl	EC	A herbicide with a unique combination of active ingredients that are specifically designed to control a wide range of annual and perennial grass weeds with excellent selectivity on broadleaved crops such as soybeans, potatoes, tobacco, cabbages, and other broadleaf crops.	1 L	400 - 800 ml
Camelot	312,5 + 187,5 g/l s-metolachlor + terbuthylazine	SE	A strong pre-emergent and early post-emergent herbicide on broadleaf weeds and grasses in maize, and a pre-emergent herbicide in soybean, sugar beans, and sunflower.	1 L	3 - 4 L
Dublon Gold	600 + 150 g/kg nicosulfuron + thifensulfuron-methyl	WG	A post-emergent herbicide for maize, which offers excellent control of key grass and broadleaf weeds including shamva grass (Rottboellia cochinchenensis) and provides significant suppression of yellow nutsedge (Cyperus esculentus).	70 g	50 - 70 g
Tornado 540	540 g/l glyphosate acid (potassium salt)	SL	Tornado 540 is a non-selective herbicide with a unique formulation of glyphosate that offers systemic, non-selective control of more than 170 emerged annual and perennial grass and broadleaf weeds.	1 & 10 L	1.3 - 4 L
Fabian	450 + 150 g/kg imazethapyr + chlorimuron-ethyl	WG	Combined herbicide of systemic action to combat annual and perennial dicotyledonous and annual cereal weeds in soybean crop.	100 g	80 - 100 g
Gaitan	330 g/l pendimethalin	EC	A pre-emergent herbicide for use in maize, sugarcane, and cotton for the control of grasses such as shamva grass and some broadleaf weeds.	1 L	2.3 - 4.3 L
Corsair	480 g/l bentazone	SL	A selective post-emergence herbicide for the control of certain broadleaf weeds in green beans, peanuts, and soybeans.	1 L	1.5 - 2.5 L
Lazurit Super	270 g/l metribuzin	NEC	A selective herbicide for the control of a broad range of annual grass and broad-leaved weeds in many different crops such as alfalfa, cereals, potatoes, soybeans, sugar cane, and vegetables.	1 L	200 - 500 g
Simba	960 g/l s-metolachlor	EC	A strong pre-emergent and early post-emergent herbicide on broadleaf weeds and grasses in maize, and a pre-emergent herbicide in soybean, sugar beans, sunflower, cotton, sugar cane, and other vegetables.	1 L	1 - 1.5 L

HERBICIDES					
Product	Active ingredients	Formulation	Description and uses	Pack Size	Rate Per Ha
Escudo	500 g/kg rimsulfuron	WG	A post-emergence herbicide that effectively controls most annual and perennial grasses and several broad-leaved weeds in maize.	1 kg	45 g
Bomba	563 + 187 g/kg tribenuron-methyl + florasulam	WG	A selective post-emergent herbicide for the control of annual and perennial dicotyledonous weeds in barley, wheat, rye, and other cereal crops.	100 g	20 - 30 g
Egida	480 g/l mesotrione	SC	A pre and post-emergent herbicide for the control of broadleaf weeds in maize and other cereal crops.	1 L	200 - 350 ml
Deimos	480 g/l dicamba	SL	A post-emergent herbicide for the control of broadleaf weeds in wheat and maize	250 ml	250 - 500 ml
Miura	125 g/l quizalofop-P-ethyl	EC	Post-emergent herbicides to control annual and perennial grasses in potatoes, beans, peas, tomatoes, and other broadleaf crops.	1 L	2.5 L
Paradox	120 g/l imazamox	SL	A post-emergent herbicide for the control of certain annual grasses and broad-leaved weeds in peas, legume-based pastures, lucerne, peanuts, and soybeans.	250 ml	90 - 200 ml
Graminion	150 g/l clethodim	EC	A post-emergent herbicide to control a wide range of annual and perennial grass weeds with excellent selectivity on broadleaved crops such as soybeans, potatoes, tobacco, cabbages, and other broadleaf crops.	1 L	400 - 800 ml
Dublon Super	425 + 125 g/kg dicamba + nicosulfuron	WG	Herbicide for the control of annual and perennial broad-leaved and grass weeds in maize.	500 g	300 - 500 g
Lazurit Ultra	600 g/l metribuzin	SC	A selective herbicide for pre and post-emergence weed control in potatoes, tomatoes, wheat, soybean and other crops. It is a pre-emergent herbicide and can also be applied as early post. It has broad spectrum control of both grasses and broad-leaf weeds.	1 L	1.3 - 1.6 L
Treiser	480 g/l clomazone	EC	A pre-emergence residual herbicide used to control weeds on cabbage, cucumbers, melons, peas (succulent), peppermint, peppers, rice, soybeans, spearmint, squash, sugarcane, sweet potatoes, tobacco, and tuberous and corm vegetables.	250 ml	300 - 600 ml

HERBICIDES					
Product	Active ingredients	Formulation	Description and uses	Pack Size	Rate Per Ha
Herbytox	500 g/l MCPA (dimethylamine, sodium and potassium salt mixture)	SC	A selective hormone type herbicide for the post emergent control of broadleaf weeds in cereals, grain sorghum, maize small grains and sugarcane.	1L	0.7 - 1.2 L
Lastik Extra	70 g/l fenoxaprop-P-ethyl	EC	A selective post-emergence herbicide used to control a broad spectrum of grass weeds in wheat and barley. Lastik Extra is safe to the crop with no follow crop restrictions and the grower can benefit from a wide choice of tank-mix options.	1L	0.8 - 1 L
Demetra	350 g/l fluroxypyr	EC	A broadleaf herbicide used for the control of a wide range of weeds in cereals, Maize, Millets, Sorghum, and Sugarcane.	250 ml	430 - 570 ml
Gaur	240 g/l oxyfluorfen	EC	Selective herbicide for the control of certain annual grasses and broadleaf weeds and some grasses in orchards, grapes, tobacco, tomato, soybean, cotton, peanuts, sunflower, onions and vegetable brassicas.	1L	0.8 - 1 L